

MATERIAL SAFETY DATA SHEET									
SECTION 1 - PRODUCT / COMPANY IDENTIFICATION					HMIS HAZARD RATING				
IDENTITY Liquid-6			HEALTH FLAMMABILITY REACTIVITY		2 0 1		0= INSIGNIFICANT 1=SLIGHT 3=HIGH 2=MODERATE 4=EXTREME		
MANUFACTURER'S NAME Live Earth Products, Inc. 400 S. 200 East Emery, Utah 85422		EMERGENCY: 1-800-846-2817 INFORMATION: (435)286-2222		DISTRIBUTOR'S NAME		INFORMATION:		DATE PREPARED: 6 March 2007 SUPERSEDES:	
SECTION 2-HAZARDOUS INGREDIENTS / IDENTITY INFORMATION									
INGREDIENTS Water , Humates (Leonardite), Humic shale ore Activity: pH 8.5 6% Humate									
SECTION 3- PHYSICAL/CHEMICAL CHARACTERISTICS									
BOILING POINT 106 degrees C		SPECIFIC GRAVITY 1.021 g/cm3			VAPOR DENSITY(Air = 1) N/A			SOLUBILITY IN WATER Good	
VAPOR PRESSURE (MM Hg.) 10 m-bar		MELTING POINT minus 7 degrees C			EVAPORATION RATE (Butyl Acetate = 1) N/A				
APPEARANCE AND ODOR Dark brown Liquid/Odor: Light ammonia smell									
SECTION 4 - FIRE AND EXPLOSIVE HAZARD DATA									
FLASH POINT N/A		METHOD N/A		FLAMMABLE LIMITS N/A		LEL N/A		UEL N/A	
EXTINGUISHING MEDIA N/A		UNUSUAL FIRE AND EXPLOSION HAZARDS N/A							
SPECIAL FIRE FIGHTING PROCEDURES N/A									
SECTION 5 - REACTIVITY DATA									
STABILITY STABLE					CONDITIONS TO AVOID N/A			HAZARDOUS DECOMPOSITION OR BYPRODUCTS N/A	
HAZARDOUS POLYMERIZATION		WILL NOT OCCUR			CONDITIONS TO AVOID N/A			INCOMPATIBLY N/A	
SECTION 6 - HEALTH HAZARD DATA									
ROUTE(S) OF ENTRY - SIGNS AND SYMPTOMS OF EXPOSURE					EMERGENCY AND FIRST AID PROCEDURES				
INHALATION: NO					N/A				
EYES: YES					Immediately flush with with water for at least 15 minutes.				
					Call Physician if symptoms persist.				
SKIN: YES					Wash contaminated areas with plenty of water. Remove contaminated clothing and wash before reuse. If skin irritation continues consult a physician.				
INGESTION: YES					If swallowed do not induce vomiting. Give one or two glasses of milk or water. Contact a physician immediately.				
CARCINOGENICITY N/A			NTP N/A		IARC N/A		OSHA REGULATED N/A		
MEDICAL CONDITIONS-GENERALLY AGGRAVATED BY EXPOSURE:									
SECTION 7 - PRECAUTIONS FOR SAFE HANDLING AND USE									
STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED									
Use an absorbant material to collect spill.					Collect and dispose of in accordance with all Local, State and Federal regulations.				
WASTE DISPOSAL METHOD Triple rinse and puncture containers after use.									
PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE Shake well before use. Do not attempt to reuse container									
OTHER PRECAUTIONS N/A									
SECTION 8 - CONTROL MEASURES									
RESPIRATORY PROTECTION NIOSH/MSHA approved for mists. Employ respiratory protection when exposure to mist and spray is possible									
VENTILATION Use in open areas.		LOCAL EXHAUST N/A		OTHER N/A		SPECIAL N/A		MECHANICAL (GENERAL) Usually adequate	
PROTECTIVE GLOVES YES		EYE PROTECTION Use protective eyewear.				OTHER PROTECTIVE CLOTHING OR EQUIPMENT Long sleeves, long pants and closed toed shoes			
WORK/HYGENIC PRACTICES Wash hands and clothing after handling product									
The information contained herein is considered to be in good faith, such information is expressly given without any warranty (Expressed or implied) or any guarantee in its accuracy and it is taken at the user's risk. User is solely responsible for determining the suitability for use in each particular situation. Live Earth Products Inc. specifically disclaims any liability for the use of such information, including any recommendation which may misconstrue, infringe or violate valid patents, licenses and/or copyrights.									

MATERIAL SAFETY DATA SHEET

SECTION 1 - PRODUCT / COMPANY IDENTIFICATION				HMIS HAZARD RATING	
IDENTITY Bio-Basics			HEALTH	1	0= INSIGNIFICANT
			FLAMMABILITY	0	1=SLIGHT 3=HIGH
			REACTIVITY	0	2=MODERATE 4=EXTREME
MANUFACTURER'S NAME Live Earth Products, Inc. 400 S. 200 East Emery, Utah 85422		EMERGENCY: 1-800-846-2817 INFORMATION: (435)286-2222	DISTRIBUTOR'S NAME		INFORMATION: DATE PREPARED: 6 March 2007 SUPERSEDES:
SECTION 2-HAZARDOUS INGREDIENTS / IDENTITY INFORMATION					
INGREDIENTS Humates (Leonardite), Humic shale ore and soft rock phosphate Activity: 0-7-0, 1.7% Iron, 2% Sulfur, 7% Calcium 27.0% Humates					
SECTION 3- PHYSICAL/CHEMICAL CHARACTERISTICS					
BOILING POINT NA		SPECIFIC GRAVITY NA		VAPOR DENSITY(Air = 1) N/A	
VAPOR PRESSURE (MM Hg.) NA		MELTING POINT >3000 degrees F.		SOLUBILITY IN WATER Partial	
EVAPORATION RATE (Butyl Acetate = 1) N/A					
APPEARANCE AND ODOR Dark brown dry granular / Odor: Earthy mineral odor.					
SECTION 4 - FIRE AND EXPLOSIVE HAZARD DATA					
FLASH POINT N/A	METHOD N/A	FLAMMABLE LIMITS N/A	LEL N/A	UEL N/A	EXTINGUISHING MEDIA N/A
UNUSUAL FIRE AND EXPLOSION HAZARDS N/A			SPECIAL FIRE FIGHTING PROCEDURES N/A		
SECTION 5 - REACTIVITY DATA					
STABILITY STABLE			CONDITIONS TO AVOID N/A	HAZARDOUS DECOMPOSITION OR BYPRODUCTS N/A	
HAZARDOUS POLYMERIZATION WILL NOT OCCUR			CONDITIONS TO AVOID N/A	INCOMPATIBLY N/A	
SECTION 6 - HEALTH HAZARD DATA					
ROUTE(S) OF ENTRY - SIGNS AND SYMPTOMS OF EXPOSURE			EMERGENCY AND FIRST AID PROCEDURES		
INHALATION: NO			N/A		
EYES: YES			Immediately flush with water for at least 15 minutes. Call Physician if symptoms persist.		
SKIN: YES			Wash contaminated areas with plenty of water. Remove contaminated clothing and wash before reuse. If skin irritation continues consult a physician.		
INGESTION: YES			If swallowed do not induce vomiting. Give one or two glasses of milk or water. Contact a physician immediately.		
CARCINOGENICITY N/A		NTP N/A	IARC N/A	OSHA REGULATED N/A	
MEDICAL CONDITIONS-GENERALLY AGGRAVATED BY EXPOSURE:					
SECTION 7 - PRECAUTIONS FOR SAFE HANDLING AND USE					
STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED Spills should be picked up and reutilized if uncontaminated. Collect and dispose of any contaminants in accordance with all Local, State and Federal regulations.					
WASTE DISPOSAL METHOD Spills should be reused if possible and disposed of in a proper facility in accordance with all local and federal guidelines.					
PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE Use proper protective equipment when applying. Handle materials with care.					
OTHER PRECAUTIONS N/A					
SECTION 8 - CONTROL MEASURES					
RESPIRATORY PROTECTION Use NIOSH/MSHA approved equipment if used in closed areas or areas where dust is likely.					
VENTILATION Use in open areas.	LOCAL EXHAUST N/A		OTHER N/A	SPECIAL N/A	MECHANICAL (GENERAL) Usually adequate
PROTECTIVE GLOVES YES		EYE PROTECTION Use protective eyewear.		OTHER PROTECTIVE CLOTHING OR EQUIPMENT Long sleeves, long pants and closed toed shoes	
WORK/HYGENIC PRACTICES Wash hands and clothing after handling product					
The information contained herein is considered to be in good faith, such information is expressly given without any warranty (Expressed or implied) or any guarantee in its accuracy and it is taken at the user's risk. User is solely responsible for determining the suitability for use in each particular situation. Live Earth Products Inc. specifically disclaims any liability for the use of such information, including any recommendation which may misconstrue, infringe or violate valid patents, licenses and/or copyrights.					

MATERIAL SAFETY DATA SHEET

SECTION 1 - PRODUCT / COMPANY IDENTIFICATION				HMIS HAZARD RATING	
IDENTITY Bio-Complete 8-8-8		HEALTH		2	0= INSIGNIFICANT 1=SLIGHT 3=HIGH 2=MODERATE 4=EXTREME
		FLAMMABILITY		2	
		REACTIVITY		1	
MANUFACTURER'S NAME Live Earth Products, Inc. 400 S. 200 East Emery, Utah 85422		EMERGENCY: 1-800-846-2817 INFORMATION: (435)286-2222	DISTRIBUTOR'S NAME		INFORMATION: DATE PREPARED: 6 March 2007 SUPERSEDES:
SECTION 2-HAZARDOUS INGREDIENTS / IDENTITY INFORMATION					
INGREDIENTS Humates (Leonardite), ammonium sulfate, mono-ammonium nitrate, mono-ammonium phosphate, potassium sulfate, Gypsum, iron oxide, magnetite and Soft rock phosphate. Activity: 8-8-8 , 7.0% Sulfur, 4.0 % Iron, 3.0% Calcium 16.0 % humates					
SECTION 3- PHYSICAL/CHEMICAL CHARACTERISTICS					
BOILING POINT NA		SPECIFIC GRAVITY NA		VAPOR DENSITY(Air = 1) N/A	
VAPOR PRESSURE (MM Hg.) NA		MELTING POINT >3000 degrees F.		EVAPORATION RATE (Butyl Acetate = 1) N/A	
APPEARANCE AND ODOR Dark brown, grey, white crystalline, yellow crystalline, dry granular / Odor: Earthy mineral odor.					
SECTION 4 - FIRE AND EXPLOSIVE HAZARD DATA					
FLASH POINT N/A		METHOD N/A	FLAMMABLE LIMITS N/A	LEL N/A	UEL N/A
UNUSUAL FIRE AND EXPLOSION HAZARDS N/A			SPECIAL FIRE FIGHTING PROCEDURES N/A		
SECTION 5 - REACTIVITY DATA					
STABILITY STABLE				CONDITIONS TO AVOID N/A	
HAZARDOUS POLYMERIZATION WILL NOT OCCUR				HAZARDOUS DECOMPOSITION OR BYPRODUCTS N/A	
				INCOMPATIBLY N/A	
SECTION 6 - HEALTH HAZARD DATA					
ROUTE(S) OF ENTRY - SIGNS AND SYMPTOMS OF EXPOSURE				EMERGENCY AND FIRST AID PROCEDURES	
INHALATION: NO				N/A	
EYES: YES				Immediately flush with water for at least 15 minutes. Call Physician if symptoms persist.	
SKIN: YES				Wash contaminated areas with plenty of water. Remove contaminated clothing and wash before reuse. If skin irritation continues consult a physician.	
INGESTION: YES				If swallowed do not induce vomiting. Give one or two glasses of milk or water. Contact a physician immediately.	
CARCINOGENICITY N/A		NTP N/A	IARC N/A	OSHA REGULATED N/A	
MEDICAL CONDITIONS-GENERALLY AGGRAVATED BY EXPOSURE:					
SECTION 7 - PRECAUTIONS FOR SAFE HANDLING AND USE					
STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED Spills should be picked up and reutilized if uncontaminated. Collect and dispose of any contaminants in accordance with all Local, State and Federal regulations.					
WASTE DISPOSAL METHOD Spills should be reused if possible and disposed of in a proper facility in accordance with all local and federal guidelines.					
PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE Use proper protective equipment when applying. Handle materials with care.					
OTHER PRECAUTIONS N/A					
SECTION 8 - CONTROL MEASURES					
RESPIRATORY PROTECTION Use NIOSH/MSHA approved equipment if used in closed areas or areas where dust is likely.					
VENTILATION Use in open areas.		LOCAL EXHAUST N/A		OTHER N/A	MECHANICAL (GENERAL) Usually adequate
PROTECTIVE GLOVES YES		EYE PROTECTION Use protective eyewear.		OTHER PROTECTIVE CLOTHING OR EQUIPMENT Long sleeves, long pants and closed toed shoes	
WORK/HYGENIC PRACTICES Wash hands and clothing after handling product					
The information contained herein is considered to be in good faith, such information is expressly given without any warranty (Expressed or implied) or any guarantee in its accuracy and it is taken at the user's risk. User is solely responsible for determining the suitability for use in each particular situation. Live Earth Products Inc. specifically disclaims any liability for the use of such information, including any recommendation which may misconstrue, infringe or violate valid patents, licenses and/or copyrights.					

MATERIAL SAFETY DATA SHEET

SECTION 1 - PRODUCT / COMPANY IDENTIFICATION				HMIS HAZARD RATING	
IDENTITY Emerald Green			HEALTH FLAMMABILITY REACTIVITY	2 0 1	0= INSIGNIFICANT 1=SLIGHT 3=HIGH 2=MODERATE 4=EXTREME
MANUFACTURER'S NAME Live Earth Products, Inc. 400 S. 200 East Emery, Utah 85422	EMERGENCY: 1-800-846-2817 INFORMATION: (435)286-2222	DISTRIBUTOR'S NAME	INFORMATION:	DATE PREPARED: 6 March 2007 SUPERSEDES:	
SECTION 2-HAZARDOUS INGREDIENTS / IDENTITY INFORMATION					
INGREDIENTS Urea, mono-ammonium phosphate, ammonium sulfate, potassium nitrate, iron chloride, manganese, zinc and copper sulfates. Activity: 8.0%N, 4.0% P, 8.0% K pH 6.4					
SECTION 3- PHYSICAL/CHEMICAL CHARACTERISTICS					
BOILING POINT 126 degrees C	SPECIFIC GRAVITY 1.19 g/cm3	VAPOR DENSITY(Air = 1) N/A		SOLUBILITY IN WATER Good	
VAPOR PRESSURE (MM Hg.) 10 m-bar	MELTING POINT minus 21 degrees C	EVAPORATION RATE (Butyl Acetate = 1) N/A			
APPEARANCE AND ODOR Emerald Green Liquid/Odor: Light metallic odor					
SECTION 4 - FIRE AND EXPLOSIVE HAZARD DATA					
FLASH POINT N/A	METHOD N/A	FLAMMABLE LIMITS N/A	LEL N/A	UEL N/A	EXTINGUISHING MEDIA N/A
UNUSUAL FIRE AND EXPLOSION HAZARDS N/A			SPECIAL FIRE FIGHTING PROCEDURES N/A		
SECTION 5 - REACTIVITY DATA					
STABILITY	STABLE	CONDITIONS TO AVOID N/A		HAZARDOUS DECOMPOSITION OR BYPRODUCTS N/A	
HAZARDOUS POLYMERIZATION	WILL NOT OCCUR	CONDITIONS TO AVOID N/A		INCOMPATIBLY N/A	
SECTION 6 - HEALTH HAZARD DATA					
ROUTE(S) OF ENTRY - SIGNS AND SYMPTOMS OF EXPOSURE			EMERGENCY AND FIRST AID PROCEDURES		
INHALATION: NO			N/A		
EYES: YES			Immediately flush with water for at least 15 minutes. Call Physician if symptoms persist.		
SKIN: YES			Wash contaminated areas with plenty of water. Remove contaminated clothing and wash before reuse. If skin irritation continues consult a physician.		
INGESTION: YES			If swallowed do not induce vomiting. Give one or two glasses of milk or water. Contact a physician immediately.		
CARCINOGENICITY N/A	NTP N/A	IARC N/A	OSHA REGULATED N/A		
MEDICAL CONDITIONS -GENERALLY AGGRAVATED BY EXPOSURE:					
SECTION 7 - PRECAUTIONS FOR SAFE HANDLING AND USE					
STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED Use an absorbant material to collect spill. Collect and dispose of in accordance with all Local, State and Federal regulations.					
WASTE DISPOSAL METHOD Triple rinse and puncture containers after use.					
PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE Shake well before use. Do not attempt to reuse container					
OTHER PRECAUTIONS Keep material in a temperate environment. Do not expose to direct sunlight. Exposure can cause swelling of container and possible breakage.					
SECTION 8 - CONTROL MEASURES					
RESPIRATORY PROTECTION NIOSH/MSHA approved for mists. Employ respiratory protection when exposure to mist and spray is possible					
VENTILATION Use in open areas.	LOCAL EXHAUST N/A	OTHER N/A	SPECIAL N/A	MECHANICAL (GENERAL) Usually adequate	
PROTECTIVE GLOVES YES		EYE PROTECTION Use protective eyewear.		OTHER PROTECTIVE CLOTHING OR EQUIPMENT Long sleeves, long pants and closed toed shoes	
WORK/HYGENIC PRACTICES Wash hands and clothing after handling product					
The information contained herein is considered to be in good faith, such information is expressly given without any warranty (Expressed or implied) or any guarantee in its accuracy and it is taken at the user's risk. User is solely responsible for determining the suitability for use in each particular situation. Live Earth Products Inc. specifically disclaims any liability for the use of such information, including any recommendation which may misconstrue, infringe or violate valid patents, licenses and/or copyrights.					

MATERIAL SAFETY DATA SHEET

SECTION 1 - PRODUCT / COMPANY IDENTIFICATION				HMIS HAZARD RATING	
IDENTITY Great-8		HEALTH		2	0= INSIGNIFICANT
		FLAMMABILITY		0	1=SLIGHT 3=HIGH
		REACTIVITY		1	2=MODERATE 4=EXTREME
MANUFACTURER'S NAME Live Earth Products, Inc. 400 S. 200 East Emery, Utah 85422		EMERGENCY: 1-800-846-2817 INFORMATION: (435)286-2222	DISTRIBUTOR'S NAME		INFORMATION: DATE PREPARED: 6 March 2007 SUPERSEDES:
SECTION 2-HAZARDOUS INGREDIENTS / IDENTITY INFORMATION					
INGREDIENTS Water , Humates (Leonardite), Humic shale ore and Norwegian kelp extract. Activity: pH 8.5 8% Humic Acids					
SECTION 3- PHYSICAL/CHEMICAL CHARACTERISTICS					
BOILING POINT 106 degrees C		SPECIFIC GRAVITY 1.021 g/cm3		VAPOR DENSITY(Air = 1) N/A	SOLUBILITY IN WATER Good
VAPOR PRESSURE (MM Hg.) 10 m-bar		MELTING POINT minus 7 degrees C		EVAPORATION RATE (Butyl Acetate = 1) N/A	
APPEARANCE AND ODOR Dark brown Liquid/Odor: Light ammonia smell					
SECTION 4 - FIRE AND EXPLOSIVE HAZARD DATA					
FLASH POINT N/A	METHOD N/A	FLAMMABLE LIMITS N/A	LEL N/A	UEL N/A	EXTINGUISHING MEDIA N/A
UNUSUAL FIRE AND EXPLOSION HAZARDS N/A			SPECIAL FIRE FIGHTING PROCEDURES N/A		
SECTION 5 - REACTIVITY DATA					
STABILITY	STABLE		CONDITIONS TO AVOID N/A		HAZARDOUS DECOMPOSITION OR BYPRODUCTS N/A
HAZARDOUS POLYMERIZATION	WILL NOT OCCUR		CONDITIONS TO AVOID N/A		INCOMPATIBLY N/A
SECTION 6 - HEALTH HAZARD DATA					
ROUTE(S) OF ENTRY - SIGNS AND SYMPTOMS OF EXPOSURE			EMERGENCY AND FIRST AID PROCEDURES		
INHALATION: NO			N/A		
EYES: YES			Immediately flush with with water for at least 15 minutes.		
			Call Physician if symptoms persist.		
SKIN: YES			Wash contaminated areas with plenty of water. Remove contaminated clothing and wash before reuse. If skin irritation continues consult a physician.		
INGESTION: YES			If swallowed do not induce vomiting. Give one or two glasses of milk or water. Contact a physician immediately.		
CARCINOGENICITY N/A	NTP N/A		IARC N/A	OSHA REGULATED N/A	
MEDICAL CONDITIONS-GENERALLY AGGRAVATED BY EXPOSURE:					
SECTION 7 - PRECAUTIONS FOR SAFE HANDLING AND USE					
STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED Use an absorbant material to collect spill. Collect and dispose of in accordance with all Local, State and Federal regulations.					
WASTE DISPOSAL METHOD Triple rinse and puncture containers after use.					
PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE Shake well before use. Do not attempt to reuse container					
OTHER PRECAUTIONS N/A					
SECTION 8 - CONTROL MEASURES					
RESPIRATORY PROTECTION NIOSH/MSHA approved for mists. Employ respiratory protection when exposure to mist and spray is possible					
VENTILATION Use in open areas.	LOCAL EXHAUST N/A		OTHER N/A	SPECIAL N/A	MECHANICAL (GENERAL) Usually adequate
PROTECTIVE GLOVES YES		EYE PROTECTION Use protective eyewear.		OTHER PROTECTIVE CLOTHING OR EQUIPMENT Long sleeves, long pants and closed toed shoes	
WORK/HYGENIC PRACTICES Wash hands and clothing after handling product					
The information contained herein is considered to be in good faith, such information is expressly given without any warranty (Expressed or implied) or any guarantee in its accuracy and it is taken at the user's risk. User is solely responsible for determining the suitability for use in each particular situation. Live Earth Products Inc. specifically disclaims any liability for the use of such information, including any recommendation which may misconstrue, infringe or violate valid patents, licenses and/or copyrights.					

MATERIAL SAFETY DATA SHEET

SECTION 1 - PRODUCT / COMPANY IDENTIFICATION				HMIS HAZARD RATING	
IDENTITY Iron-10		HEALTH 1	FLAMMABILITY 0	REACTIVITY 0	0= INSIGNIFICANT 1=SLIGHT 2=MODERATE 3=HIGH 4=EXTREME
MANUFACTURER'S NAME Live Earth Products, Inc. 400 S. 200 East Emery, Utah 85422	EMERGENCY: 1-800-846-2817 INFORMATION: (435)286-2222	DISTRIBUTOR'S NAME	INFORMATION:	DATE PREPARED: 6 March 2007 SUPERSEDES:	

SECTION 2-HAZARDOUS INGREDIENTS / IDENTITY INFORMATION

INGREDIENTS

Humates (Leonardite), Humic shale ore, Hematite

Activity: 5 % Nitrogen, 5% Sulfur, 10% Iron,

SECTION 3- PHYSICAL/CHEMICAL CHARACTERISTICS

BOILING POINT NA	SPECIFIC GRAVITY NA	VAPOR DENSITY(Air = 1) N/A	SOLUBILITY IN WATER Partial
VAPOR PRESSURE (MM Hg.) NA	MELTING POINT >3000 degrees F.	EVAPORATION RATE (Butyl Acetate = 1) N/A	

APPEARANCE AND ODOR

Dark black/brown dry granular / Odor: Earthy mineral odor.

SECTION 4 - FIRE AND EXPLOSIVE HAZARD DATA

FLASH POINT N/A	METHOD N/A	FLAMMABLE LIMITS N/A	LEL N/A	UEL N/A	EXTINGUISHING MEDIA N/A
UNUSUAL FIRE AND EXPLOSION HAZARDS N/A		SPECIAL FIRE FIGHTING PROCEDURES N/A			

SECTION 5 - REACTIVITY DATA

STABILITY STABLE		CONDITIONS TO AVOID N/A	HAZARDOUS DECOMPOSITION OR BYPRODUCTS N/A
HAZARDOUS POLYMERIZATION WILL NOT OCCUR		CONDITIONS TO AVOID N/A	INCOMPATIBLY N/A

SECTION 6 - HEALTH HAZARD DATA

ROUTE(S) OF ENTRY - SIGNS AND SYMPTOMS OF EXPOSURE		EMERGENCY AND FIRST AID PROCEDURES	
INHALATION: NO		N/A	
EYES: YES		Immediately flush with with water for at least 15 minutes.	
		Call Physician if symptoms persist.	
SKIN: YES		Wash contaminated areas with plenty of water. Remove contaminated clothing and wash before reuse. If skin irritation continues consult a physician.	
INGESTION: YES		If swallowed do not induce vomiting. Give one or two glasses of milk or water. Contact a physician immediately.	
CARCINOGENICITY	NTP	IARC	OSHA REGULATED
N/A	N/A	N/A	N/A

MEDICAL CONDITIONS-GENERALLY AGGRAVATED BY EXPOSURE:

SECTION 7 - PRECAUTIONS FOR SAFE HANDLING AND USE

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED Spills should be picked up and reutilized if uncontaminated. Collect and dispose of any contaminants in accordance with all Local, State and Federal regulations.	
WASTE DISPOSAL METHOD Spills should be reused if possible and disposed of in a proper facility in accordance with all local and federal guidelines.	
PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE Use proper protective equipment when applying. Handle materials with care.	
OTHER PRECAUTIONS N/A	

SECTION 8 - CONTROL MEASURES

RESPIRATORY PROTECTION Use NIOSG/MSHA approved equipment if used in closed areas or areas where dust is likely.				
VENTILATION Use in open areas.	LOCAL EXHAUST N/A	OTHER N/A	SPECIAL N/A	MECHANICAL (GENERAL) Usually adequate
PROTECTIVE GLOVES YES	EYE PROTECTION Use protective eyewear.		OTHER PROTECTIVE CLOTHING OR EQUIPMENT Long sleeves, long pants and closed toed shoes	
WORK/HYGENIC PRACTICES Wash hands and clothing after handling product				

The information contained herein is considered to be in good faith, such information is expressly given without any warranty (Expressed or implied) or any guarantee in its accuracy and it is taken at the user's risk. User is solely responsible for determining the suitability for use in each particular situation. Live Earth Products Inc. specifically disclaims any liability for the use of such information, including any recommendation which may misconstrue, infringe or violate valid patents, licenses and/or copyrights.

MATERIAL SAFETY DATA SHEET

SECTION 1 - PRODUCT / COMPANY IDENTIFICATION				HMIS HAZARD RATING	
IDENTITY Live Earth Humate Soil Conditioner			HEALTH FLAMMABILITY REACTIVITY	1 0 0	0= INSIGNIFICANT 1=SLIGHT 3=HIGH 2=MODERATE 4=EXTREME
MANUFACTURER'S NAME Live Earth Products, Inc. 400 S. 200 East Emery, Utah 85422	EMERGENCY: 1-800-846-2817 INFORMATION: (435)286-2222	DISTRIBUTOR'S NAME	INFORMATION:	DATE PREPARED: 6 March 2007 SUPERSEDES:	
SECTION 2-HAZARDOUS INGREDIENTS / IDENTITY INFORMATION					
INGREDIENTS Humates (Leonardite), Humic shale ore Activity: 2.25 % Iron, 1.5% Sulfur					
SECTION 3- PHYSICAL/CHEMICAL CHARACTERISTICS					
BOILING POINT NA	SPECIFIC GRAVITY NA	VAPOR DENSITY(Air = 1) N/A		SOLUBILITY IN WATER Partial	
VAPOR PRESSURE (MM Hg.) NA	MELTING POINT >3000 degrees F.	EVAPORATION RATE (Butyl Acetate = 1) N/A			
APPEARANCE AND ODOR Dark brown dry granular / Odor: Earthy mineral odor.					
SECTION 4 - FIRE AND EXPLOSIVE HAZARD DATA					
FLASH POINT N/A	METHOD N/A	FLAMMABLE LIMITS N/A	LEL N/A	UEL N/A	EXTINGUISHING MEDIA N/A
UNUSUAL FIRE AND EXPLOSION HAZARDS N/A			SPECIAL FIRE FIGHTING PROCEDURES N/A		
SECTION 5 - REACTIVITY DATA					
STABILITY	STABLE	CONDITIONS TO AVOID N/A		HAZARDOUS DECOMPOSITION OR BYPRODUCTS N/A	
HAZARDOUS POLYMERIZATION	WILL NOT OCCUR	CONDITIONS TO AVOID N/A		INCOMPATIBLY N/A	
SECTION 6 - HEALTH HAZARD DATA					
ROUTE(S) OF ENTRY - SIGNS AND SYMPTOMS OF EXPOSURE			EMERGENCY AND FIRST AID PROCEDURES		
INHALATION: NO			N/A		
EYES: YES			Immediately flush with water for at least 15 minutes. Call Physician if symptoms persist.		
SKIN: YES			Wash contaminated areas with plenty of water. Remove contaminated clothing and wash before reuse. If skin irritation continues consult a physician.		
INGESTION: YES			If swallowed do not induce vomiting. Give one or two glasses of milk or water. Contact a physician immediately.		
CARCINOGENICITY N/A	NTP N/A	IARC N/A	OSHA REGULATED N/A		
MEDICAL CONDITIONS-GENERALLY AGGRAVATED BY EXPOSURE:					
SECTION 7 - PRECAUTIONS FOR SAFE HANDLING AND USE					
STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED Spills should be picked up and reutilized if uncontaminated. Collect and dispose of any contaminants in accordance with all Local, State and Federal regulations.					
WASTE DISPOSAL METHOD Spills should be reused if possible and disposed of in a proper facility in accordance with all local and federal guidelines.					
PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE Use proper protective equipment when applying. Handle materials with care.					
OTHER PRECAUTIONS N/A					
SECTION 8 - CONTROL MEASURES					
RESPIRATORY PROTECTION Use NIOSH/MSHA approved equipment if used in closed areas or areas where dust is likely.					
VENTILATION Use in open areas.	LOCAL EXHAUST N/A	OTHER N/A	SPECIAL N/A	MECHANICAL (GENERAL) Usually adequate	
PROTECTIVE GLOVES YES		EYE PROTECTION Use protective eyewear.		OTHER PROTECTIVE CLOTHING OR EQUIPMENT Long sleeves, long pants and closed toed shoes	
WORK/HYGENIC PRACTICES Wash hands and clothing after handling product					
The information contained herein is considered to be in good faith, such information is expressly given without any warranty (Expressed or implied) or any guarantee in its accuracy and it is taken at the user's risk. User is solely responsible for determining the suitability for use in each particular situation. Live Earth Products Inc. specifically disclaims any liability for the use of such information, including any recommendation which may misconstrue, infringe or violate valid patents, licenses and/or copyrights.					